## NSN 3040-01-069-5090

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-069-5090 **Body Material:** Steel, stainless First End Outside Diameter: 0.438 inches **Mounting Provision:** Pin **Tempurature Rating:** Not rated **Mounting Facility Length:** 1.000 inches **Bore Diameter:** 1.500 inches **Overall Diameter:** 1.562 inches Seat Angle In Deg: Any acceptable First End External Thread Length: 0.750 inches **Compressed Length:** 13.130 inches **Extended Length:** 19.130 inches **Pressure Rating:** 250.0 pounds per square inch **Design Characteristics:** Double acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: 0.438 inches First Piston Rod End Thready Qty Per Inch (tpi): 20 **First Piston Rod End Thread Class:** 2a **First Piston Rod End Thread Direction:** Right-hand **Mounting Type And Location:** 

Trunnion cylinder head end

**Mounting Facility Diameter:** 

0.375 inches

## NSN 3040-01-069-5090

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Location And Quantity:
1 piston rod end
Port Style:
Flare
Port Thread Series Designator:
Npt
Port Pipe Thread Size:
0.125 inches
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A34200