

View Online at <https://aerobasegroup.com/nsn/3040-01-073-9723>

First End Style:

Two circular grooves, splined and internally threaded

First End Groove Width:

0.1560 inches

First End Groove Diameter:

0.4330 inches

End Similarity:

Not identical

Second End Style:

Circular grooved, splined (straight) and externally threaded

Second End Groove Width:

0.1990 inches

Second End Groove Diameter:

0.4330 inches

Overall Length:

2.910 inches

First End Distance From End To Groove:

0.289 inches

First End Diameter:

0.4790 inches

First End Spline Length:

0.289 inches

First End Spline Minor Diameter:

0.4060 inches

First End Spline Major Diameter:

0.4790 inches

First End Internal Thread Length:

0.560 inches

First End Distance Between First And Second Groove Centers:

0.206 inches

Second End Distance From End To Groove:

1.990 inches

Second End Diameter:

0.4790 inches

Second End Spline Length:

1.990 inches

Second End Spline Minor Diameter:

0.4060 inches

Second End Spline Major Diameter:

0.4790 inches

Second End Internal Thread Length:

0.750 inches

First End Spline Quantity:

22

Second End Spline Quantity:

22

Surface Finish:

63.0 microinches

Special Features:

0.190-24unc-2b each end

Material:

Steel comp 4130 or steel comp 8630

Material Specification:

Astm a322 al 4130/8630 assn standard all material responses

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A23200