NSN 3040-01-083-2012

Straight Shaft - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3040-01-083-2012

First End Style: Unthreaded cross drilled End Similarity: Identical Overall Length: Between 40.840 inches and 40.920 inches First End Diameter: Between 0.6130 inches and 0.6230 inches First End Hole Diameter: Between 0.1250 inches and 0.1290 inches First End Distance From Hole Center To End: Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A23200
End Similarity: Identical Overall Length: Between 40.840 inches and 40.920 inches First End Diameter: Between 0.6130 inches and 0.6230 inches First End Hole Diameter: Between 0.1250 inches and 0.1290 inches First End Distance From Hole Center To End: Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Identical Overall Length: Between 40.840 inches and 40.920 inches First End Diameter: Between 0.6130 inches and 0.6230 inches First End Hole Diameter: Between 0.1250 inches and 0.1290 inches First End Distance From Hole Center To End: Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Overall Length: Between 40.840 inches and 40.920 inches First End Diameter: Between 0.6130 inches and 0.6230 inches First End Hole Diameter: Between 0.1250 inches and 0.1290 inches First End Distance From Hole Center To End: Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Between 40.840 inches and 40.920 inches First End Diameter: Between 0.6130 inches and 0.6230 inches First End Hole Diameter: Between 0.1250 inches and 0.1290 inches First End Distance From Hole Center To End: Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
First End Diameter: Between 0.6130 inches and 0.6230 inches First End Hole Diameter: Between 0.1250 inches and 0.1290 inches First End Distance From Hole Center To End: Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Between 0.6130 inches and 0.6230 inches First End Hole Diameter: Between 0.1250 inches and 0.1290 inches First End Distance From Hole Center To End: Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
First End Hole Diameter: Between 0.1250 inches and 0.1290 inches First End Distance From Hole Center To End: Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Between 0.1250 inches and 0.1290 inches First End Distance From Hole Center To End: Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
First End Distance From Hole Center To End: Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Between 0.230 inches and 0.270 inches Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Material: Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Steel comp 4140 Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Material Specification: Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Astm-a322 assn standard single material response or astm-a331 assn standard single material response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
N/a Unit Of Measure: Demilitarization: No Fiig:
Unit Of Measure: Demilitarization: No Fiig:
Demilitarization: No Fiig:
Demilitarization: No Fiig:
No Fiig:
Fiig:
·
A23200