NSN 3040-01-083-9011

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-083-9011 **Body Material:** Steel **Mounting Provision:** Pin **Tempurature Rating:** 275.0 degrees fahrenheit **Mounting Facility Length:** 3.250 inches **Overall Height:** 2.000 inches **Overall Width:** 2.000 inches **Bore Diameter:** 1.125 inches **Compressed Length:** 37.630 inches **Extended Length:** 69.380 inches **Pressure Rating:** Between 660.0 pounds per square inch and 740.0 pounds per square inch **Features Provided:** Cushioned stroke **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: Internal threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: 0.375 inches First Piston Rod End Thready Qty Per Inch (tpi): 24 **First Piston Rod End Thread Class: First Piston Rod End Thread Direction:** Right-hand **Mounting Type And Location:**

Trunnion cylinder head end

Mounting Facility Diameter:

0.499 inches

NSN 3040-01-083-9011

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Location And Quantity:
1 piston rod end
Port Style:
Gasket seal single port
Port Thread Series Designator:
Unjf
Port Thread Diameter:
0.5625 inches
Port Thready Qty Per Inch (tpi):
18
Port Thread Class:
3b
Special Features:
Body finish white enamel
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A34200