## NSN 3040-01-101-3726



Linear Actuating Cylinder Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3040-01-101-3726 **Body Material:** Any acceptable **Tempurature Rating:** Not rated **Bore Diameter:** 2.500 inches **Body Outside Diameter:** 2.880 inches **Overall Diameter:** 3.440 inches First End Hole Diameter: 0.759 inches **Compressed Length:** 34.340 inches **Extended Length:** 56.460 inches **Pressure Rating:** Between 200.0 pounds per square inch and 220.0 pounds per square inch **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Double acting single cylinder First Piston Rod End Style: Fork type (clevis) First End Largest Inside Diameter: 0.759 inches First End Fork Width: 2.000 inches First End Fork Depth: **7.400** inches First End Fork Span Width: 1.250 inches **Mounting Type And Location:** Bearing cylinder head end **Port Location And Quantity:** 1 piston rod end Port Style: Gasket seal **Port Thread Series Designator:** 

Unf

**Port Thread Diameter:** 

0.438 inches

## NSN 3040-01-101-3726

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Thready Qty Per Inch (tpi):
20
Port Thread Class:
2b
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A34200