NSN 3040-01-105-3585

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-105-3585
First End Style:
Unthreaded cross drilled
End Similarity:
Not identical
Second End Style:
Circular grooved and splined (straight)
Second End Groove Width:
Between 0.0290 inches and 0.0320 inches
Second End Groove Diameter:
Between 0.2880 inches and 0.2920 inches
Overall Length:
4.440 inches
First End Diameter:
Between 0.3147 inches and 0.3150 inches
First End Hole Diameter:
Between 0.0940 inches and 0.0970 inches
First End Distance From Hole Center To End:
Between 0.312 inches and 0.343 inches
Second End Distance From End To Groove:
0.560 inches
Second End Diameter:
Between 0.2790 inches and 0.2810 inches
Second End Spline Length:
0.500 inches
Second End Spline Minor Diameter:
0.2349 inches
Second End Spline Major Diameter:
0.2500 inches
Step Quantity:
5
Second End Spline Quantity:
16
Largest Step Diameter:
Between 0.390 inches and 0.400 inches
Surface Finish:
16.0 microinches
Special Features:
One 0.029 in. Min, 0.032 in. Maximum wby 0.288 in. Min, 0.292 in. Maximum diameter groove located 1.130 in. Min, 1.132 in. Max from first $\frac{1}{2}$
end
Material:
Stainless steel
Shelf Life:

N/a

NSN 3040-01-105-3585

Shouldered Shaft - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A23200