## NSN 3040-01-105-5739

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-105-5739 **Body Material:** Iron, cast First End Outside Diameter: 0.438 inches **Mounting Provision:** Unthreaded mounting holes **Tempurature Rating:** Not rated **Overall Height:** 5.000 inches **Overall Width:** 2.656 inches **Bore Diameter:** 1.750 inches **Body Outside Diameter:** 2.531 inches First End External Thread Length: 1.000 inches **Compressed Length:** 8.250 inches **Extended Length:** 9.500 inches **Mounting Provision Arrangement Style:** Two hole **Pressure Rating:** Not rated **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: First Piston Rod End Thread Diameter: 0.438 inches First Piston Rod End Thready Qty Per Inch (tpi): First Piston Rod End Thread Class: 2a First Piston Rod End Thread Direction:

Right-hand

Mounting Type And Location:

Flange center section

## NSN 3040-01-105-5739

Linear Actuating Cylinder Assembly - Page 2 of 2



Mounting Facility Diameter:
0.410 inches
Center To Center Distance Between Mounting Provisions:
2.750 inches
Port Location And Quantity:
1 cylinder head end
Port Style:
Gasket seal
Port Thread Series Designator:
Unf
Port Thread Diameter:
0.625 inches
Port Thready Qty Per Inch (tpi):
18
Port Thread Class:
2b
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A34200