## NSN 3040-01-118-7501

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-118-7501

First End Style:
Unthreaded cross drilled
End Similarity:
Not identical
Second End Style:
Two indented flat keyways
Overall Length:
4.230 inches
First End Diameter:
Between 0.3720 inches and 0.3740 inches
First End Hole Diameter:
Between 0.0933 inches and 0.0937 inches
First End Distance From Hole Center To End:
0.126 inches
Second End Keyway Width:
Any acceptable
Second End External Keyway Length:
0.200 inches
Second End Keyway Depth:
Between 0.0208 inches and 0.0259 inches
Second End Distance From Keyway Center To End:
0.315 inches
Second End Diameter:
Between 0.2178 inches and 0.2179 inches
Second End Angle Between Keyways:
Any acceptable
Step Quantity:
6
Largest Step Diameter:
Between 0.372 inches and 0.374 inches
Surface Finish:
32.0 microinches
Special Features:
Cam, 0.170 inch thick, btwn first end and second step
Material:
Steel comp 303se or steel comp 303
Material Specification:
Ams5738 assn standard single material response or qq-s-764 federal specification single material response
Shelf Life:
N/a
Unit Of Measure:
<del></del>

--

## NSN 3040-01-118-7501

Shouldered Shaft - Page 2 of 2



Demilitarization:

No

Fiig:

A23200