NSN 3040-01-120-5488

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-120-5488 First End Style: Splined (involute) **End Similarity:** Not identical Second End Style: Cross drilled and circular grooved **Second End Groove Width:** Between 0.0280 inches and 0.0310 inches **Second End Groove Diameter:** Between 0.3820 inches and 0.3840 inches **Overall Length:** 5.452 inches First End Diameter: 0.4516 inches First End Spline Length: 0.625 inches First End Spline Minor Diameter: 0.4043 inches First End Spline Major Diameter: 0.4516 inches First End Pressure Angle: 30.0 degrees First End Pitch Diameter: 0.4583 inches **Second End Distance From End To Groove:** Between 0.094 inches and 0.097 inches **Second End Diameter:** Between 0.4050 inches and 0.4060 inches **Second End Hole Diameter:** 0.1250 inches **Second End Distance From Hole Center To End:** 0.374 inches **Step Quantity:** First End Spline Quantity: **Largest Step Diameter:** Between 0.624 inches and 0.625 inches **Surface Finish:** 63.0 microinches Material:

_ .

Steel comp 1042

NSN 3040-01-120-5488

Shouldered Shaft - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A23200