## NSN 3040-01-122-7747

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-122-7747

First End Style: External threaded **End Similarity:** Not identical Second End Style: Circular grooved, cross drilled hole, and externally threaded **Second End Groove Width:** 0.1800 inches **Second End Groove Diameter:** 0.1300 inches **Overall Length:** 2.620 inches First End Diameter: 0.1900 inches First End External Thread Length: 0.410 inches **Second End Distance From End To Groove:** 2.000 inches **Second End Diameter:** 0.1250 inches **Second End Hole Diameter:** 0.0312 inches **Second End Distance From Hole Center To End:** Between 0.060 inches and 0.090 inches **Second End External Thread Length:** 0.340 inches **Second End Hole Depth:** 0.125 inches Step Quantity: **Largest Step Diameter:** 0.190 inches **Surface Finish:** 125.0 microinches **Special Features:** Thread data 1st end 0.190-56uns-3a, 2nd end 0.125-40unc-3a, 1st end internal center hole 0.160 in. Min and 0.220 in maximum dp Material: Stainless steel

**Fsc Application Data:** 

Aircraft engine fuel system

Shelf Life:

N/a

## NSN 3040-01-122-7747

Shouldered Shaft - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A23200