NSN 3040-01-123-3015



Shouldered Shaft - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3040-01-123-3015 First End Style: Square (round corners) **End Similarity:** Not identical **Second End Style:** Two cross drilled holes **Overall Length:** 8.310 inches First End Width Across Flats: Between 0.621 inches and 0.623 inches First End Diameter: Between 0.7470 inches and 0.7490 inches **Second End Diameter:** 1.5000 inches **Second End Hole Diameter:** 0.2810 inches **Second End Distance From Hole Center To End:** 1.440 inches **Second End Distance Between Hole Centers:** 0.560 inches **Second End Angle Between Holes:** 90.0 degrees Step Quantity: **Largest Step Diameter:** 1.500 inches First End Step Length: 1.250 inches **Surface Finish:** 63.0 microinches **Special Features:** Second end has two ident indented flats, 0.125 in. Flat dp, 1.000 in. Flat lg, 1.440 in. Distance from flat ctr to end, 180 degrees angle btwn flats; second end bored, 0.751/0.752 in. Dia, 2.120 in. Lg; second end has one int flat keyway along bore lg, 0.188/0.190 in. Keyway w, 1.940 in. Keyway Ig, 0.102 in. Keyway dp Material: Steel comp 304 **Material Specification:** Qq-s-769, cond b federal specification single material response Shelf Life: N/a

No

Unit Of Measure:

Demilitarization:

NSN 3040-01-123-3015 Shouldered Shaft - Page 2 of 2



Fiig:

A23200