NSN 3040-01-133-8012

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-133-8012 **Body Material:** Aluminum alloy **Mounting Provision:** Threaded mounting holes **Tempurature Rating:** 160.0 degrees fahrenheit **Bore Diameter:** 2.000 inches **Overall Diameter:** 2.250 inches **End Application:** 2320-01-112-3793 **Mounting Facility Thread Direction:** Right-hand First End External Thread Length: 0.880 inches **Extended Length:** 8.250 inches **Mounting Provision Arrangement Style:** Single hole **Pressure Rating:** 250.0 pounds per square inch **Mounting Facility Thread Series Designator:** Npt **Design Characteristics:** Double acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: First Piston Rod End Thready Qty Per Inch (tpi):

0.500 inches 20 **First Piston Rod End Thread Class:** 2a **First Piston Rod End Thread Direction:** Right-hand **Mounting Type And Location:** Screw cylinder base **Err Default:** Err default

NSN 3040-01-133-8012

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Location And Quantity:
1 piston rod end
Port Style:
Flare
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A34200