## NSN 3040-01-136-7824

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-136-7824 First End Style: Splined (involute) **End Similarity:** Not identical Second End Style: Splined (involute) **Overall Length:** Between 2.840 inches and 2.845 inches First End Diameter: 2.0810 inches First End Spline Length: Between 0.136 inches and 0.139 inches First End Pressure Angle: 25.0 degrees First End Pitch Diameter: 2.0463 inches **Second End Diameter:** 0.6710 inches Second End Spline Length: Between 0.620 inches and 0.650 inches **Second End Pressure Angle:** 26.2 degrees **Second End Pitch Diameter:** 0.7000 inches Step Quantity: First End Spline Quantity: **Second End Spline Quantity:** 29 **Criticality Code Justification: Largest Step Diameter:** 2.143 inches **Surface Finish:** 62.0 microinches **Special Features:** Flight safety critical Material: Steel **Material Specification:** Cps4911 mfr ref single material response

## NSN 3040-01-136-7824

Shouldered Shaft - Page 2 of 2



Fsc Application Data	Fsc Appl	ication	Data
----------------------	----------	---------	------

Actuator, electro-mechanical, rotary-canopy

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A23200