NSN 3040-01-138-2011



Linear Actuating Cylinder Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3040-01-138-2011 **Body Material:** Steel, stainless First End Outside Diameter: 1.000 inches **Tempurature Rating:** -10.0 degrees fahrenheit **Overall Height:** 3.500 inches **Overall Width:** 3.500 inches **Bore Diameter:** 2.500 inches First End External Thread Length: 1.125 inches

Compressed Length:

16.625 inches

Extended Length:

25.125 inches

Pressure Rating:

3000.0 pounds per square inch

Features Provided:

Clevis pin and cushioned stroke

Integral Valve Operation Method:

Hydraulic

Design Characteristics:

Single acting single cylinder

First Piston Rod End Style:

External threaded

First Piston Rod End Thread Series Designator:

Unf

First Piston Rod End Thread Diameter:

0.750 inches

First Piston Rod End Thready Qty Per Inch (tpi):

16

First Piston Rod End Thread Class:

За

First Piston Rod End Thread Direction:

Right-hand

Mounting Type And Location:

Fork cylinder head end

Port Location And Quantity:

1 piston rod end

NSN 3040-01-138-2011

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Style:
Gasket seal single port
Port Thread Series Designator:
Unf
Port Thread Diameter:
0.875 inches
Port Thready Qty Per Inch (tpi):
14
Port Thread Class:
3b
Special Features:
W/ piston lip seal
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A34200