## NSN 3040-01-145-2527

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-145-2527 First End Style: Internal threaded **End Similarity:** Not identical Second End Style: Circular grooved and splined (straight) **Second End Groove Width:** 0.0750 inches **Second End Groove Diameter:** 0.5090 inches **Overall Length:** 4.820 inches First End Diameter: 0.7491 inches First End Internal Thread Length: 0.600 inches **Second End Distance From End To Groove:** 0.664 inches **Second End Diameter:** 0.8800 inches **Second End Spline Length:** 0.980 inches **Second End Spline Minor Diameter:** 0.5190 inches **Second End Spline Major Diameter:** 0.6250 inches Step Quantity: **Second End Spline Quantity: Largest Step Diameter:** 0.880 inches **Special Features:** First end, splined 3.040 in. Lg, 23 teeth, 0.6440 in. Minor dia Material: Steel comp 4140 **Material Specification:** Astm-a322 assn standard single material response or astm-a331 assn standard single material response **Fsc Application Data:** Feeder, automatic gun

N/a

Shelf Life:

## NSN 3040-01-145-2527

Shouldered Shaft - Page 2 of 2



		eas	

--

Demilitarization:

Yes - demil/mli

Fiig:

A23200