NSN 3040-01-166-6779

Shouldered Shaft - Page 1 of 1

No Fiig: A23200



View Online at https://aerobasegroup.com/nsn/3040-01-166-6779 First End Style: Internal threaded **Second End Style:** Flat keyways and internally threaded **Overall Length:** 12.250 inches **First End Diameter:** Between 9.6200 inches and 9.6250 inches First End Internal Thread Length: 0.875 inches **Second End Keyway Width:** Between 0.5000 inches and 0.5030 inches Second End External Keyway Length: 6.500 inches **Second End Keyway Depth:** Between 0.276 inches and 0.277 inches **Second End Diameter:** Between 3.9350 inches and 3.9360 inches Second End Internal Thread Length: 0.750 inches Step Quantity: 3 **Largest Step Diameter:** Between 11.605 inches and 11.645 inches **Surface Finish:** 125.0 microinches **Special Features:** Bore Ig of shaft, 2.125 in. Dia; counterbore both ends, 2.187/2.188 in. Dia, 2.020 in. Dp; first end has one additional, ident, int thd hole, both holes equally spaced on a 6.000 in. Bolt cir dia; second end has three additional, ident, int thd holes, all four holes equally spaced on a 3.250 in. Bolt cir dia Shelf Life: N/a **Unit Of Measure: Demilitarization:**