NSN 3040-01-169-7321

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-169-7321
First End Style:
Splined (involute)
End Similarity:
Not identical
Second End Style:
Externally threaded and flat keyway
Overall Length:
7.398 inches
End Application:
3810-01-144-4885
First End Diameter:
Between 1.9850 inches and 1.9900 inches
First End Spline Length:
1.875 inches
First End Spline Minor Diameter:
Between 1.9670 inches and 1.9680 inches
First End Spline Major Diameter:
Between 1.9685 inches and 1.9695 inches
First End Pressure Angle:
30.0 degrees
First End Pitch Diameter:
1.9160 inches
Second End Keyway Width:
0.3125 inches
Second End External Keyway Length:
0.906 inches
Second End Diameter:
Between 1.7590 inches and 1.7670 inches
Second End External Thread Length:
0.406 inches
Step Quantity:
4
First End Spline Quantity:
23
Largest Step Diameter:
Between 2.623 inches and 2.627 inches
Surface Finish:
16.0 microinches
Special Features:
First end has two internal thd holes, 0.750 in. Thd Ig, located on a 1.000 in. Bolt cir dia; second end thds are indented; second end partial
bore, 0.406 in. Dp, 0.911 in. Dia

Steel comp 4140

Material:

NSN 3040-01-169-7321

Shouldered Shaft - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A23200