

View Online at <https://aerobasegroup.com/nsn/3040-01-181-1815>

Body Material:

Steel, aisi c1015

Mounting Provision:

Threaded mounting holes

Tempurature Rating:

-10.0 degrees fahrenheit

Overall Height:

3.500 inches

Overall Width:

3.500 inches

Bore Diameter:

2.500 inches

Longest Horizontal Distance Between Mounting Centers:

1.312 inches

Longest Vertical Distance Between Mounting Centers:

72.000 inches

Mounting Facility Thread Class:

2b

Mounting Facility Thread Direction:

Right-hand

Compressed Length:

76.125 inches

Extended Length:

145.125 inches

Mounting Provision Arrangement Style:

Four hole rectangular

Pressure Rating:

3000.0 pounds per square inch

Features Provided:

Cushioned stroke

Mounting Facility Thread Series Designator:

Unc

Mounting Facility Thread Diameter:

0.625 inches

Mounting Facility Thready Qty Per Inch (tpi):

11

Integral Valve Operation Method:

Hydraulic

Design Characteristics:

Single acting single cylinder

First Piston Rod End Style:

Internal threaded

First Piston Rod End Thread Series Designator:

Unf

First Piston Rod End Thread Diameter:

1.250 inches

First Piston Rod End Thread Qty Per Inch (tpi):

12

First Piston Rod End Thread Class:

2b

First Piston Rod End Thread Direction:

Right-hand

Mounting Type And Location:

Screw center section

Mounting Facility Thread Length:

0.500 inches

Port Location And Quantity:

2 center section

Port Style:

Gasket seal

Port Thread Series Designator:

Unf

Port Thread Diameter:

0.875 inches

Port Thread Qty Per Inch (tpi):

14

Port Thread Class:

2b

Special Features:

W/ piston lip seal

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A34200