

View Online at <https://aerobasegroup.com/nsn/3040-01-191-6223>

Body Material:

Steel, corrosion resisting

First End Outside Diameter:

0.750 inches

Mounting Provision:

Threaded mounting holes

Temperature Rating:

-10.0 degrees fahrenheit

Overall Height:

2.500 inches

Overall Width:

2.500 inches

Bore Diameter:

1.500 inches

Longest Horizontal Distance Between Mounting Centers:

0.750 inches

Longest Vertical Distance Between Mounting Centers:

4.500 inches

Mounting Facility Thread Class:

3b

Mounting Facility Thread Direction:

Right-hand

First End External Thread Length:

0.625 inches

Compressed Length:

7.625 inches

Extended Length:

9.250 inches

Mounting Provision Arrangement Style:

Four hole rectangular

Mounting Facility Thread Series Designator:

Unc

Mounting Facility Thread Diameter:

0.375 inches

Mounting Facility Thread Qty Per Inch (tpi):

16

Integral Valve Operation Method:

Hydraulic

Design Characteristics:

Single acting single cylinder

First Piston Rod End Style:

External threaded

First Piston Rod End Thread Series Designator:

Unf

First Piston Rod End Thread Diameter:

0.438 inches

First Piston Rod End Thready Qty Per Inch (tpi):

20

First Piston Rod End Thread Class:

3a

First Piston Rod End Thread Direction:

Right-hand

Mounting Type And Location:

Screw both ends

Mounting Facility Thread Length:

0.375 inches

Port Location And Quantity:

1 piston rod end

Port Style:

Gasket seal single port

Port Thread Series Designator:

Unf

Port Thread Diameter:

0.875 inches

Port Thready Qty Per Inch (tpi):

14

Port Thread Class:

3b

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A34200