## NSN 3040-01-210-0293

**Body Material:** 

Port Style:

Gasket seal single port

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-210-0293

Steel, stainless
First End Outside Diameter:
1.000 inches all working ends
Tempurature Rating:
-10.0 degrees fahrenheit and 165.0 degrees fahrenheit
Overall Height:
3.000 inches
Overall Width:
3.000 inches
Bore Diameter:
2.000 inches
First End External Thread Length:
1.125 inches all working ends
Compressed Length:
11.000 inches
Extended Length:
14.000 inches
Pressure Rating:
3000.0 pounds per square inch
Features Provided:
Clevis pin and cushioned stroke
Integral Valve Operation Method:
Hydraulic
Design Characteristics:
Single acting single cylinder
First Piston Rod End Style:
External threaded all working ends
First Piston Rod End Thread Series Designator:
Unf all working ends
First Piston Rod End Thread Diameter:
0.750 inches all working ends
First Piston Rod End Thready Qty Per Inch (tpi):
16 all working ends
First Piston Rod End Thread Class:
3a all working ends
First Piston Rod End Thread Direction:
Right-hand all working ends
Mounting Type And Location:
Fork cylinder head end

## NSN 3040-01-210-0293

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Thread Series Designator:
Unf single port
Port Thread Diameter:
0.875 inches single port
Port Thready Qty Per Inch (tpi):
14 single port
Port Thread Class:
3b single port
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A34200