

View Online at <https://aerobasegroup.com/nsn/3040-01-213-5570>

**First End Groove Width:**

Between 0.0940 inches and 0.1040 inches

**First End Groove Diameter:**

Between 0.1360 inches and 0.1380 inches

**End Similarity:**

Not identical

**Overall Length:**

Between 7.880 inches and 7.910 inches

**First End Distance From End To Flat:**

Between 0.340 inches and 0.350 inches

**First End Distance From End To Groove:**

Between 0.976 inches and 1.116 inches

**First End Diameter:**

Between 0.2481 inches and 0.2490 inches

**First End Hole Diameter:**

Between 0.1630 inches and 0.1720 inches

**First End Distance From Hole Center To End:**

Between 1.8120 inches and 1.8420 inches

**First End Hole Depth:**

Between 0.200 inches and 0.220 inches

**First End Grooved Flat Length:**

Between 0.2600 inches and 0.2800 inches

**First End Grooved Flat Depth:**

Between 0.0331 inches and 0.0340 inches

**Second End Diameter:**

Between 0.4991 inches and 0.4996 inches

**Second End Hole Diameter:**

Between 0.1630 inches and 0.1720 inches

**Second End Distance From Hole Center To End:**

3.100 inches

**Second End Hole Depth:**

Between 0.200 inches and 0.220 inches

**Second End Angle Between Holes:**

57.0 degrees

**Step Quantity:**

3

**Largest Step Diameter:**

Between 0.499 inches and 0.500 inches

**Surface Finish:**

32.0 microinches

**Special Features:**

Both ends drilled and countersunk axially

**Material:**

Steel comp 347

**Material Specification:**

Qq-s-763 federal specification single material response or ams 5646 assn standard single material response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A23200