## NSN 3040-01-219-6432

**Body Material:** 

Steel

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-219-6432

First End Outside Diameter:
2.500 inches all working ends
Overall Height:
6.500 inches
Overall Width:
6.500 inches
Bore Diameter:
6.000 inches
First End External Thread Length:
3.000 inches all working ends
Compressed Length:
14.500 inches
Extended Length:
20.250 inches
Pressure Rating:
125.0 pounds per square inch
Features Provided:
Cushioned stroke
Integral Valve Operation Method:
Pneumatic
Design Characteristics:
Double acting single cylinder
First Piston Rod End Style:
External threaded all working ends
First Piston Rod End Thread Series Designator:
Unf all working ends
First Piston Rod End Thread Diameter:
1.875 inches all working ends
First Piston Rod End Thready Qty Per Inch (tpi):
12 all working ends
First Piston Rod End Thread Class:
2a all working ends
First Piston Rod End Thread Direction:
Right-hand all working ends
Mounting Type And Location:
Fork cylinder head end
Port Location And Quantity:
1 cylinder head end and 1 piston rod end
Port Style:
Casket soal all ports

Gasket seal all ports

## NSN 3040-01-219-6432

Linear Actuating Cylinder Assembly - Page 2 of 2



A34200