

View Online at <https://aerobasegroup.com/nsn/3040-01-225-7026>

Body Material:

Steel

First End Outside Diameter:

3.500 inches all working ends

Mounting Provision:

Unthreaded mounting holes

Overall Height:

7.500 inches

Overall Width:

7.500 inches

Bore Diameter:

6.000 inches

First End External Thread Length:

3.000 inches all working ends

Compressed Length:

52.250 inches

Extended Length:

91.125 inches

Mounting Provision Arrangement Style:

Two hole

Pressure Rating:

1650.0 pounds per square inch

Features Provided:

Cushioned stroke

Integral Valve Operation Method:

Hydraulic

Design Characteristics:

Double acting single cylinder

First Piston Rod End Style:

External threaded all working ends

First Piston Rod End Thread Series Designator:

Un all working ends

First Piston Rod End Thread Diameter:

1.875 inches all working ends

First Piston Rod End Thread Qty Per Inch (tpi):

12 all working ends

First Piston Rod End Thread Class:

2a all working ends

First Piston Rod End Thread Direction:

Right-hand all working ends

Mounting Type And Location:

Fork cylinder head end

Mounting Facility Diameter:

2.250 inches

Center To Center Distance Between Mounting Provisions:

3.250 inches

Port Location And Quantity:

1 cylinder head end and 1 piston rod end

Port Style:

Gasket seal all ports

Port Thread Series Designator:

Un all ports

Port Thread Diameter:

1.625 inches all ports

Port Thread Qty Per Inch (tpi):

12 all ports

Port Thread Class:

2b all ports

Special Features:

Ports in posn 4; 4 in.Lg stop tube

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A34200