## NSN 3040-01-227-7604



Shouldered Shaft - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3040-01-227-7604 First End Style: Plain **End Similarity:** Not identical Second End Style: Splined (involute) **Overall Length:** Between 3.250 inches and 3.280 inches **End Application:** Close in weapon system ciws-phalanx First End Diameter: Between 0.4995 inches and 0.5000 inches **Second End Diameter:** 0.7500 inches **Second End Spline Length:** Between 0.9300 inches and 0.9600 inches **Second End Spline Minor Diameter:** 0.6440 inches Second End Spline Major Diameter: Between 0.7470 inches and 0.7500 inches **Second End Pressure Angle:** 30.0 degrees **Second End Pitch Diameter:** 0.7188 inches Step Quantity: 2 **Second End Spline Quantity: Largest Step Diameter:** 0.750 inches **Surface Finish:** 32.0 microinches **Special Features:** Next higher assembly nsn 3010-01-154-7209 angle ddrive unit Material: Stainless steel **Material Specification:** Sae ams 5659 (15-5ph) assn standard single material response

Shelf Life: N/a

**Unit Of Measure:** 

## NSN 3040-01-227-7604

Shouldered Shaft - Page 2 of 2



Demilitarization:

No

Fiig:

A23200