

View Online at <https://aerobasegroup.com/nsn/3040-01-231-2975>

**Body Material:**

Steel, aisi c1015

**First End Outside Diameter:**

1.375 inches all working ends

**Mounting Provision:**

Unthreaded mounting holes

**Temperature Rating:**

-10.0 degrees fahrenheit and 165.0 degrees fahrenheit

**Overall Height:**

3.500 inches

**Overall Width:**

3.500 inches

**Bore Diameter:**

2.500 inches

**Longest Horizontal Distance Between Mounting Centers:**

4.875 inches

**Longest Vertical Distance Between Mounting Centers:**

90.375 inches

**First End External Thread Length:**

1.625 inches all working ends

**Compressed Length:**

93.812 inches

**Extended Length:**

180.812 inches

**Mounting Provision Arrangement Style:**

Four hole rectangular

**Pressure Rating:**

3000.0 pounds per square inch

**Features Provided:**

Cushioned stroke

**Integral Valve Operation Method:**

Hydraulic

**Design Characteristics:**

Single acting single cylinder

**First Piston Rod End Style:**

External threaded all working ends

**First Piston Rod End Thread Series Designator:**

Uns all working ends

**First Piston Rod End Thread Diameter:**

1.000 inches all working ends

**First Piston Rod End Thready Qty Per Inch (tpi):**

14 all working ends

**First Piston Rod End Thread Class:**

2a all working ends

**First Piston Rod End Thread Direction:**

Right-hand all working ends

**Mounting Facility Diameter:**

0.812 inches

**Port Style:**

Gasket seal all ports

**Port Thread Series Designator:**

Unf all ports

**Port Thread Diameter:**

0.875 inches all ports

**Port Thread Qty Per Inch (tpi):**

14 all ports

**Port Thread Class:**

2b all ports

**Special Features:**

Viton seals; w/ piston lip seal

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A34200