## NSN 3040-01-238-8812

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-238-8812 **Body Material:** Steel, aisi c1015 First End Outside Diameter: 2.000 inches **Tempurature Rating:** -10.0 degrees fahrenheit **Overall Height:** 4.500 inches **Overall Width:** 4.500 inches **Bore Diameter:** 3.250 inches First End External Thread Length: 2.250 inches **Compressed Length:** 15.625 inches **Extended Length:** 21.250 inches **Pressure Rating:** 3000.0 pounds per square inch **Features Provided:** Clevis pin and cushioned stroke **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: 1.500 inches

First Piston Rod End Thready Qty Per Inch (tpi):

12

**First Piston Rod End Thread Class:** 2a

**First Piston Rod End Thread Direction:** 

Right-hand

**Mounting Type And Location:** 

Fork cylinder head end

**Port Location And Quantity:** 

2 center section

## NSN 3040-01-238-8812

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Style:
Gasket seal
Port Thread Series Designator:
Un
Port Thread Diameter:
1.062 inches
Port Thready Qty Per Inch (tpi):
12
Port Thread Class:
2b
Special Features:
W/ piston lip seal
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fila:

A34200