

View Online at <https://aerobasegroup.com/nsn/3040-01-241-4776>

**Body Material:**

Steel, aisi c1015

**First End Outside Diameter:**

0.625 inches

**Mounting Provision:**

Unthreaded mounting holes

**Tempurature Rating:**

-10.0 degrees fahrenheit

**Overall Height:**

2.500 inches

**Overall Width:**

2.500 inches

**Bore Diameter:**

2.000 inches

**Longest Horizontal Distance Between Mounting Centers:**

3.375 inches

**Longest Vertical Distance Between Mounting Centers:**

1.840 inches

**First End External Thread Length:**

0.750 inches

**Compressed Length:**

8.938 inches

**Extended Length:**

12.938 inches

**Mounting Provision Arrangement Style:**

Four hole rectangular

**Pressure Rating:**

500.0 pounds per square inch

**Integral Valve Operation Method:**

Hydraulic

**Design Characteristics:**

Single acting single cylinder

**First Piston Rod End Style:**

External threaded

**First Piston Rod End Thread Series Designator:**

Unf

**First Piston Rod End Thread Diameter:**

0.438 inches

**First Piston Rod End Thready Qty Per Inch (tpi):**

20

**First Piston Rod End Thread Class:**

2a

**First Piston Rod End Thread Direction:**

Right-hand

**Mounting Type And Location:**

Flange piston rod end

**Mounting Facility Diameter:**

0.375 inches

**Port Location And Quantity:**

2 center section

**Port Style:**

Gasket seal

**Port Thread Series Designator:**

Unf

**Port Thread Diameter:**

0.562 inches

**Port Thread Qty Per Inch (tpi):**

18

**Port Thread Class:**

2b

**Special Features:**

W/ lipseal piston; ports require adapter fitting which is not provided

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A34200