

View Online at <https://aerobasegroup.com/nsn/3040-01-245-4190>

First End Style:

Circular grooved and splined (straight)

First End Groove Width:

Between 0.0781 inches and 0.1000 inches

First End Groove Diameter:

Between 0.5410 inches and 0.5510 inches

End Similarity:

Not identical

Second End Style:

Circular grooved and splined (straight)

Second End Groove Width:

Between 0.0781 inches and 0.1000 inches

Second End Groove Diameter:

Between 0.5410 inches and 0.5510 inches

Overall Length:

Between 11.1719 inches and 11.2031 inches

First End Distance From End To Groove:

Between 0.6250 inches and 0.6406 inches

First End Diameter:

0.6250 inches

First End Spline Length:

Between 1.2188 inches and 1.2812 inches

First End Spline Minor Diameter:

0.6390 inches

First End Spline Major Diameter:

Between 0.7499 inches and 0.7501 inches

Second End Distance From End To Groove:

Between 0.6250 inches and 0.6406 inches

Second End Diameter:

0.6250 inches

Second End Spline Length:

Between 1.2188 inches and 1.2812 inches

Second End Spline Minor Diameter:

0.7640 inches

Second End Spline Major Diameter:

Between 0.8418 inches and 0.9062 inches

Step Quantity:

7

First End Spline Quantity:

23

Second End Spline Quantity:

27

Largest Step Diameter:

Between 0.8720 inches and 0.8750 inches

Surface Finish:

250.0 microinches

Material:

Steel or steel comp 4130 or steel comp 4140

Material Specification:

Astm-a322 assn standard 1st material response or astm-a331 assn standard 2nd material response or astm-a331 assn standard 3rd material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A23200