NSN 3040-01-259-7301

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-259-7301

Body Material:
Steel, aisi c1015
First End Outside Diameter:
0.625 inches
Tempurature Rating:
-10.0 degrees fahrenheit
Overall Height:
2.500 inches
Overall Width:
2.500 inches
Bore Diameter:
1.500 inches
First End External Thread Length:
0.750 inches
Compressed Length:
12.500 inches
Extended Length:
18.125 inches
Pressure Rating:
3000.0 pounds per square inch
Features Provided:
Clevis pin and cushioned stroke
Integral Valve Operation Method:
Hydraulic
Design Characteristics:
Single acting single cylinder
First Piston Rod End Style:
External threaded
First Piston Rod End Thread Series Designator:
Unf
First Piston Rod End Thread Diameter:
0.500 inches
First Piston Rod End Thready Qty Per Inch (tpi):
20
First Piston Rod End Thread Class:
2a
First Piston Rod End Thread Direction:
Right-hand
Mounting Type And Location:
Fork cylinder head end
Port Location And Quantity:

1 piston rod end

NSN 3040-01-259-7301

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Style:
Gasket seal single port
Port Thread Series Designator:
Unf
Port Thread Diameter:
0.875 inches
Port Thready Qty Per Inch (tpi):
14
Port Thread Class:
2b
Special Features:
W/ piston lip seal; viton seals
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

A34200