## NSN 3040-01-268-8580

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-268-8580 **Body Material:** Steel First End Outside Diameter: 1.375 inches **Mounting Provision:** Unthreaded mounting holes **Overall Height:** 4.500 inches **Overall Width:** 4.500 inches **Bore Diameter:** 3.250 inches First End External Thread Length: 1.625 inches **Compressed Length:** 13.875 inches **Extended Length:** 19.125 inches **Mounting Provision Arrangement Style:** Two hole **Pressure Rating:** 3500.0 pounds per square inch **Features Provided:** Cushioned stroke **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Double acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: First Piston Rod End Thread Diameter: 1.000 inches First Piston Rod End Thready Qty Per Inch (tpi): First Piston Rod End Thread Class: 2a First Piston Rod End Thread Direction:

Right-hand

**Mounting Type And Location:** 

Fork cylinder head end

## NSN 3040-01-268-8580

Linear Actuating Cylinder Assembly - Page 2 of 2



Mounting Facility Diameter:
1.000 inches
Center To Center Distance Between Mounting Provisions:
2.250 inches
Port Location And Quantity:
1 piston rod end
Port Style:
Gasket seal
Port Thread Series Designator:
Npt
Port Pipe Thread Size:
0.750 inches
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A34200