

View Online at <https://aerobasegroup.com/nsn/3040-01-284-6214>

**Body Material:**

Steel

**First End Outside Diameter:**

2.500 inches

**Overall Height:**

5.000 inches

**Overall Width:**

5.000 inches

**Bore Diameter:**

4.000 inches

**First End External Thread Length:**

3.000 inches

**Compressed Length:**

42.437 inches

**Extended Length:**

67.374 inches

**Pressure Rating:**

3000.0 pounds per square inch

**Features Provided:**

Clevis pin and cushioned stroke

**Integral Valve Operation Method:**

Hydraulic

**Design Characteristics:**

Double acting single cylinder

**First Piston Rod End Style:**

External threaded

**First Piston Rod End Thread Series Designator:**

Unf

**First Piston Rod End Thread Diameter:**

1.875 inches

**First Piston Rod End Thread Qty Per Inch (tpi):**

12

**First Piston Rod End Thread Class:**

2a

**First Piston Rod End Thread Direction:**

Right-hand

**Mounting Type And Location:**

Fork cylinder head end

**Port Location And Quantity:**

1 piston rod end

**Port Style:**

Gasket seal

**Port Thread Series Designator:**

Un

**Port Thread Diameter:**

1.062 inches

**Port Thready Qty Per Inch (tpi):**

12

**Port Thread Class:**

2b

**Special Features:**

6 in. Stop tube, net stroke 24.937 in.Lg; protectiveboot on rod end, rod end extension 15.812 in.Lg; head port in posn 2; cap port in posn 4

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A34200