

View Online at https://aerobasegroup.com/nsn/3040-01-286-6641

| Body Material: |
|--|
| Steel |
| Mounting Provision: |
| Threaded mounting holes |
| Bore Diameter: |
| 1.500 inches |
| Overall Diameter: |
| 2.250 inches |
| Seat Angle In Deg: |
| 37.0 |
| Mounting Facility Thread Class: |
| 2b |
| Mounting Facility Thread Direction: |
| Right-hand |
| Compressed Length: |
| 17.750 inches |
| Extended Length: |
| 31.750 inches |
| Mounting Provision Arrangement Style: |
| Two hole |
| Pressure Rating: |
| 8945.0 pounds per square inch |
| Mounting Facility Thread Series Designator: |
| Unc |
| Mounting Facility Thread Diameter: |
| 0.312 inches |
| Mounting Facility Thready Qty Per Inch (tpi): |
| 18 |
| Integral Valve Operation Method: |
| Hydraulic |
| Design Characteristics: |
| Single acting single cylinder |
| First Piston Rod End Style: |
| Internal threaded |
| First Piston Rod End Thread Series Designator: |
| Unc |
| First Piston Rod End Thread Diameter: |
| 1.000 inches |
| First Piston Rod End Thready Qty Per Inch (tpi): |
| 8 |
| First Piston Rod End Thread Class: |
| 2h |

2b



First Piston Rod End Thread Direction: **Right-hand** Mounting Type And Location: Lug cylinder base **Mounting Facility Thread Length:** 0.500 inches **Center To Center Distance Between Mounting Provisions:** 1.560 inches **Port Location And Quantity:** 1 cylinder base Port Style: Flare Port Thread Series Designator: Npt Port Pipe Thread Size: 0.375 inches **Special Features:** Metal cap on port Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:

A34200