

View Online at <https://aerobasegroup.com/nsn/3040-01-306-2640>

Body Material:

Steel

Mounting Provision:

Threaded mounting holes

Temperature Rating:

190.0 degrees fahrenheit

Bore Diameter:

2.500 inches

End Application:

2420-01-196-0299

Mounting Facility Thread Class:

2b

Mounting Facility Thread Direction:

Right-hand

Compressed Length:

32.250 inches

Extended Length:

40.500 inches

Mounting Provision Arrangement Style:

Two hole

Pressure Rating:

3000.0 pounds per square inch

Features Provided:

Cushioned stroke

Mounting Facility Thread Series Designator:

Unc

Mounting Facility Thread Diameter:

0.250 inches

Mounting Facility Thready Qty Per Inch (tpi):

20

Integral Valve Operation Method:

Hydraulic

Design Characteristics:

Single acting single cylinder

First Piston Rod End Style:

Internal threaded

First Piston Rod End Thread Series Designator:

Unf

First Piston Rod End Thread Diameter:

0.500 inches

First Piston Rod End Thready Qty Per Inch (tpi):

20

First Piston Rod End Thread Class:

3b

First Piston Rod End Thread Direction:

Right-hand

Piston Rod End Similarity:

Identical

Mounting Type And Location:

Lug piston rod end

Mounting Facility Thread Length:

0.500 inches

Center To Center Distance Between Mounting Provisions:

1.800 inches

Port Location And Quantity:

4 cylinder head end

Port Style:

Gasket seal

Port Thread Series Designator:

Unf

Port Thread Diameter:

0.438 inches

Port Thread Qty Per Inch (tpi):

20

Port Thread Class:

2b

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A34200