# NSN 3040-01-323-5939

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-323-5939

# First End Style:

Circular grooved

First End Groove Width:

0.1200 inches

First End Groove Diameter:

2.9400 inches

### End Similarity:

Not identical

#### Second End Style:

Circular grooved

#### Second End Groove Width:

0.1200 inches

#### Second End Groove Diameter:

2.9400 inches

#### Overall Length:

Between 10.080 inches and 10.140 inches

#### **End Application:**

2330-01-303-8832 m1000 chettl trailer

#### First End Distance From End To Groove:

1.000 inches

#### First End Diameter:

Between 3.0380 inches and 3.0390 inches

## Second End Distance From End To Groove:

1.000 inches

#### Second End Diameter:

Between 2.9750 inches and 2.9760 inches

#### **Step Quantity:**

2

#### Largest Step Diameter:

3.039 inches

#### Surface Finish:

32.0 microinches

#### **Special Features:**

Chamfer on second end, 0.060 in. By 30.0 deg; chamfer on right edge of groove on first end, 0.060 in. By 30.0 deg

#### Material:

Steel comp 1026

#### **Material Specification:**

Astm a519, grade 1026 assn standard single material response or astm a513, type 5, grade 1026 assn standard single material response Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 3040-01-323-5939

Shouldered Shaft - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A23200

