NSN 3040-01-332-6923

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-332-6923
First End Style:
Circular grooved and externally threaded
First End Groove Width:
0.3800 inches
First End Groove Diameter:
2.3700 inches
End Similarity:
Not identical
Second End Style:
Circular grooved and externally threaded
Second End Groove Width:
0.5000 inches
Overall Length:
65.560 inches
End Application:
Shutter lower drive assembly torp to lh
First End Distance From End To Groove:
2.7500 inches
First End Diameter:
Between 2.4980 inches and 2.5000 inches
First End External Thread Length:
2.7500 inches
Second End Distance From End To Groove:
3.2500 inches
Second End Diameter:
2.6200 inches
Second End External Thread Length:
3.2500 inches
Step Quantity:
3
Criticality Code Justification:
Zzzy
Largest Step Diameter:
2.620 inches
Material:
Nickel alloy k-500
Material Specification:
Qq-n-286, cl a federal specification single material response
Reference Number Differentiating Characteristics:
Quality control in accordance with navships 0948-045-7010 material identification and control instruction for level 1 items
Shelf Life:

N/a

NSN 3040-01-332-6923

Shouldered Shaft - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A23200