NSN 3040-01-332-6923

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-332-6923

First End Style:

Circular grooved and externally threaded

First End Groove Width:

0.3800 inches

First End Groove Diameter:

2.3700 inches

End Similarity:

Not identical

Second End Style:

Circular grooved and externally threaded

Second End Groove Width:

0.5000 inches

Overall Length:

65.560 inches

End Application:

Shutter lower drive assembly torp tb lh

First End Distance From End To Groove:

2.7500 inches

First End Diameter:

Between 2.4980 inches and 2.5000 inches

First End External Thread Length:

2.7500 inches

Second End Distance From End To Groove:

3.2500 inches

Second End Diameter:

2.6200 inches

Second End External Thread Length:

3.2500 inches

Step Quantity:

3

Criticality Code Justification:

Zzzy

Largest Step Diameter:

2.620 inches

Material:

Nickel alloy k-500

Material Specification:

Qq-n-286, cl a federal specification single material response

Reference Number Differentiating Characteristics:

Quality control in accordance with navships 0948-045-7010 material identification and control instruction for level 1 items

Shelf Life:

N/a

NSN 3040-01-332-6923

Shouldered Shaft - Page 2 of 2

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A23200

