NSN 3040-01-338-5893

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-338-5893

First End Style: Splined (involute) **End Similarity:** Identical **Overall Length:** 1.465 inches First End Diameter: Between 0.4030 inches and 0.4060 inches First End Spline Length: Between 0.474 inches and 0.490 inches First End Spline Minor Diameter: Between 0.3250 inches and 0.3340 inches First End Spline Major Diameter: Between 0.4030 inches and 0.4060 inches **First End Pressure Angle:** 30.0 degrees First End Pitch Diameter: 0.3750 inches **Second End Diameter:** Between 0.4970 inches and 0.5000 inches **Second End Spline Length:** Between 0.637 inches and 0.663 inches **Second End Spline Minor Diameter:** Between 0.3950 inches and 0.4040 inches **Second End Spline Major Diameter:** Between 0.4970 inches and 0.5000 inches **Second End Pressure Angle:** 30.0 degrees **Second End Pitch Diameter:** 0.4580 inches Step Quantity: First End Spline Quantity: 12 **Second End Spline Quantity: Largest Step Diameter:** 0.279 inches Material: Stainless steel

Material Specification:

Ams5643 class 17-4ph assn standard single material response

NSN 3040-01-338-5893

Shouldered Shaft - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A23200