NSN 3040-01-353-8547

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-353-8547

Mounting Provision:
Threaded mounting holes
Bore Diameter:
4.000 inches
Compressed Length:
89.750 inches
Extended Length:
166.750 inches
Mounting Provision Arrangement Style:
Four hole square
Pressure Rating:
250.0 pounds per square inch
Integral Valve Operation Method:
Pneumatic
Design Characteristics:
Double acting single cylinder
First Piston Rod End Style:
Internal threaded
First Piston Rod End Thread Series Designator:
Unf
First Piston Rod End Thread Diameter:
1.875 inches
First Piston Rod End Thready Qty Per Inch (tpi):
12
First Piston Rod End Thread Class:
2b
First Piston Rod End Thread Direction:
Right-hand
Mounting Type And Location:
Bearing cylinder head end flange piston rod end
Port Location And Quantity:
1 center section1 cylinder head end
Port Style:
Gasket seal
Port Thread Series Designator:
Unf
Port Thread Diameter:
0.750 inches
Port Thready Qty Per Inch (tpi):
16
Port Thread Class:

2b

NSN 3040-01-353-8547

Linear Actuating Cylinder Assembly - Page 2 of 2



Shelf	Life:
N/a	

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A34200