NSN 3040-01-357-3464

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-357-3464 First End Style: Flatted and internally threaded **End Similarity:** Not identical Second End Style: Cross drilled hole and slotted **Overall Length:** 4.870 inches **Second End Slot Width:** 0.1560 inches First End Flat Depth: 0.0610 inches First End Flat Length: 0.2500 inches First End Diameter: Between 0.4950 inches and 0.4980 inches First End Internal Thread Length: 0.6200 inches **Second End Diameter:** Between 0.7100 inches and 0.7200 inches **Second End Slot Depth:** 0.4000 inches **Second End Hole Diameter:** Between 0.1250 inches and 0.1290 inches **Second End Distance From Hole Center To End:** 0.1500 inches Step Quantity: **Largest Step Diameter:** Between 0.710 inches and 0.720 inches **Surface Finish:** 63.0 microinches **Special Features:** 1st end has 2nd flat, 180 degrees from 1st flat; 2nd end has flat, 0.100 in.Dp by 1.430 in.Lg, running perpendicular to slot Material: Stainless steel **Material Specification:** Qq-s-764, 303s federal specification single material response Shelf Life:

N/a

Unit Of Measure:

NSN 3040-01-357-3464

Shouldered Shaft - Page 2 of 2



Demilitarization:

No

Fiig:

A23200