## NSN 3040-01-359-0685

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-359-0685

**Body Material:** Steel First End Outside Diameter: 1.000 inches **Mounting Provision:** Pin and unthreaded mounting holes **Tempurature Rating:** 200.0 degrees fahrenheit **Mounting Facility Length:** 4.250 inches 2.750 inches **Bore Diameter:** 2.000 inches **Body Outside Diameter:** 2.500 inches **Overall Diameter:** 2.750 inches First End External Thread Length: 1.000 inches Second End External Thread Length: 1.250 inches **Compressed Length:** 18.130 inches **Extended Length:** 24.130 inches **Mounting Provision Arrangement Style:** Single hole **Pressure Rating:** 3000.0 pounds per square inch **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: First Piston Rod End Thread Diameter: 0.875 inches First Piston Rod End Thready Qty Per Inch (tpi):

First Piston Rod End Thread Class:

Any acceptable

14

NSN 3040-01-359-0685 Linear Actuating Cylinder Assembly - Page 2 of 2



First Piston Rod End Thread Direction:
Right-hand
Piston Rod End Similarity:
Not identical
Second Piston Rod End Style:
External threaded
Mounting Type And Location:
Fork cylinder head end fork piston rod end
Mounting Facility Diameter:
Between 0.748 inches and 0.750 inches 1.002 inches and 1.004 inches
Port Location And Quantity:
2 center section
Port Style:
Flare
Port Thread Series Designator:
Nptf
Port Pipe Thread Size:
0.375 inches
Special Features:
Cylinder head clevis el087 has threaded facili type 0.875-14unf by 1.250in.Thru, fork span 1.130in.W, 3.130in lg by 0.750in.Dia pivot pin
urnished; cylinder base clevis fixed (welded) fork span 1.160in., 3.000in.L by 1.002in.Dia pivot pin furnished; ports at no.2 position 1.990in
orn cyl head end and 0.630in. Form cyl base end; ron head and piston of special close grained nodular iron casing; piston rod hard
chromed plated carbon steel w/16 microinch finish; cylinder barrel steel abd honed; designed for petroleum based fluids; retained cap
eature; retracted length 16.130in.;
Supplementary Features:
Clevis at both ends
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No
Filg:
A34200