NSN 3040-01-417-6698

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-417-6698 **Body Material:** Steel First End Outside Diameter: 1.000 inches **Mounting Provision:** Unthreaded mounting holes **Overall Height:** 4.500 inches **Overall Width:** 7.125 inches **Bore Diameter:** 3.250 inches **Longest Horizontal Distance Between Mounting Centers:** 5.875 inches **Longest Vertical Distance Between Mounting Centers:** 3.250 inches First End External Thread Length: 1.625 inches **Compressed Length:** 37.750 inches **Extended Length:** 66.000 inches **Mounting Provision Arrangement Style:** Four hole rectangular **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: First Piston Rod End Thread Diameter: 1.000 inches First Piston Rod End Thready Qty Per Inch (tpi): First Piston Rod End Thread Class: 1a First Piston Rod End Thread Direction:

Right-hand **Mounting Facility Diameter:**

0.688 inches

NSN 3040-01-417-6698

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Location And Quantity:
1 piston rod end
Port Style:
Gasket seal
Port Thread Series Designator:
Un
Port Thread Diameter:
1.062 inches
Port Thready Qty Per Inch (tpi):
12
Port Thread Class:
1b
Special Features:
Flange mounting on cap end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A34200