NSN 3040-01-422-2851

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-422-2851 **Body Material:** Steel First End Outside Diameter: 2.000 inches **Mounting Provision:** Unthreaded mounting holes **Bore Diameter:** 5.000 inches **Longest Horizontal Distance Between Mounting Centers:** 19.875 inches **Longest Vertical Distance Between Mounting Centers:** 4.750 inches **End Application:** Nimitz class cvn First End External Thread Length: 2.250 inches **Mounting Provision Arrangement Style:** Six hole rectangular **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: 1.500 inches First Piston Rod End Thready Qty Per Inch (tpi): 12 **First Piston Rod End Thread Class: First Piston Rod End Thread Direction:** Right-hand **Mounting Type And Location:** Flat cylinder base **Mounting Facility Diameter:** 1.062 inches **Port Location And Quantity:**

2 center section Port Style:

Gasket seal

NSN 3040-01-422-2851

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Inread Series Designator:
Jn
Port Thread Diameter:
1.062 inches
Port Thready Qty Per Inch (tpi):
12
Port Thread Class:
1b
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No
Fila:

A34200