AeroBase Group

View Online at https://aerobasegroup.com/nsn/3040-01-423-4878

Body Material:

Steel

First End Outside Diameter:

0.750 inches

Mounting Provision:

Threaded mounting holes

Tempurature Rating:

-10.0 degrees fahrenheit

Overall Height:

2.500 inches

Overall Width:

2.500 inches

Bore Diameter:

1.500 inches

Longest Horizontal Distance Between Mounting Centers:

6.500 inches

Longest Vertical Distance Between Mounting Centers:

0.750 inches

End Application:

Nimitz class cvn

Mounting Facility Thread Class:

2b

Mounting Facility Thread Direction:

Right-hand

First End External Thread Length:

0.750 inches

Compressed Length:

8.375 inches

Mounting Provision Arrangement Style:

Four hole rectangular

Pressure Rating:

3000.0 pounds per square inch

Mounting Facility Thread Series Designator:

Unf

Mounting Facility Thread Diameter:

0.438 inches

Mounting Facility Thready Qty Per Inch (tpi):

20

Integral Valve Operation Method:

Hydraulic

Design Characteristics:

Single acting single cylinder

NSN 3040-01-423-4878

Linear Actuating Cylinder Assembly - Page 2 of 2



First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: 0.438 inches First Piston Rod End Thready Qty Per Inch (tpi): 20 **First Piston Rod End Thread Class:** 2a First Piston Rod End Thread Direction: **Right-hand** Mounting Type And Location: Screw both ends Mounting Facility Thread Length: 0.375 inches Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A34200