NSN 3040-01-426-2348

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-426-2348 **Body Material:** Steel First End Outside Diameter: 1.750 inches **Mounting Provision:** Unthreaded mounting holes **Tempurature Rating:** -10.0 degrees fahrenheit **Overall Height:** 5.000 inches **Overall Width:** 8.500 inches **Bore Diameter:** 4.000 inches **End Application:** Weapons system nimitz class cvn First End External Thread Length: 2.000 inches **Mounting Provision Arrangement Style:** Four hole rectangular **Pressure Rating:** 3000.0 pounds per square inch **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: 1.250 inches First Piston Rod End Thready Qty Per Inch (tpi): 12 **First Piston Rod End Thread Class:** 2a **First Piston Rod End Thread Direction:**

Right-hand **Mounting Type And Location:** Lug center section and lug both ends

Mounting Facility Diameter:

Between 0.688 inches and 1.062 inches

NSN 3040-01-426-2348

Linear Actuating Cylinder Assembly - Page 2 of 2



Special	Features

Mounting modification includes thrust key

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A34200