## NSN 3040-01-430-4130

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-430-4130
First End Style:
Two circular grooves, splined and internally threaded
First End Groove Width:
0.1400 inches
First End Groove Diameter:
2.8100 inches
End Similarity:
Not identical
Second End Style:
Two circular grooves, splined and internally threaded
Second End Groove Width:
0.1400 inches
Second End Groove Diameter:
2.8100 inches
Overall Length:
20.420 inches
End Application:
2520-01-417-4144
First End Distance From End To Groove:
0.134 inches
First End Diameter:
3.0023 inches
First End Spline Length:
2.090 inches
First End Spline Minor Diameter:
2.8350 inches
First End Spline Major Diameter:
3.0023 inches
First End Internal Thread Length:
1.500 inches
First End Distance Between First And Second Groove Centers:
1.456 inches
Second End Distance From End To Groove:
0.134 inches
Second End Diameter:
3.0023 inches
Second End Spline Length:
6.410 inches
Second End Spline Minor Diameter:
2.8350 inches

3.0023 inches

**Second End Spline Major Diameter:** 

## **NSN 3040-01-430-4130** Shouldered Shaft - Page 2 of 2



Second End Internal Thread Length:
1.500 inches
Second End Distance Between First And Second Groove Centers:
1.456 inches
Step Quantity:
7
First End Spline Quantity:
47
Second End Spline Quantity:
47
Largest Step Diameter:
3.149 inches
Surface Finish:
25.0 microinches
Material:
Steel comp 4340
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A23200