NSN 3040-01-467-6616

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-467-6616 First End Style: Unthreaded cross drilled **End Similarity:** Not identical **Second End Style:** Bearing seat **Overall Length:** 3.380 inches **End Application:** Nsn 2350-01-455-3174 striker, xm707 First End Diameter: 0.5000 inches First End Hole Diameter: 0.1600 inches First End Distance From Hole Center To End: 0.29000 inches **Second End Diameter:** 0.5000 inches Second End Bearing Seat Length: 0.220 inches **Second End Bearing Seat Diameter:** 0.7500 inches **Second End Distance From Bearing Seat To End:** 0.690 inches Step Quantity: 2 **Largest Step Diameter:** 0.750 inches Surface Finish: 125.0 microinches **Special Features:** 2nd end has 0.126 inch wide by 1.060 inch long pratt-whitney keyway; 2nd end also has 2 0.062 inch diameter circular grooves Material: Steel comp 304 or steel comp 316 **Material Specification:** Astm a276 assn standard 1st material response or astm a479 assn standard 2nd material response Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 3040-01-467-6616 Shouldered Shaft - Page 2 of 2



Fiig:

A23200