

View Online at <https://aerobasegroup.com/nsn/3040-01-469-1273>

Body Material:

Steel

First End Outside Diameter:

1.875 inches

Mounting Provision:

Unthreaded mounting holes

Overall Height:

7.500 inches

Overall Width:

7.500 inches

Bore Diameter:

6.000 inches

First End External Thread Length:

3.000 inches

Compressed Length:

47.130 inches

Extended Length:

61.630 inches

Mounting Provision Arrangement Style:

Two stud

Pressure Rating:

3000.0 pounds per square inch

Integral Valve Operation Method:

Hydraulic

Design Characteristics:

Single acting tandem cylinder

First Piston Rod End Style:

External threaded

First Piston Rod End Thread Series Designator:

Un

First Piston Rod End Thread Diameter:

1.875 inches

First Piston Rod End Thread Qty Per Inch (tpi):

12

First Piston Rod End Thread Class:

2a

First Piston Rod End Thread Direction:

Right-hand

Mounting Type And Location:

Fork cylinder head end

Mounting Facility Diameter:

2.003 inches

Center To Center Distance Between Mounting Provisions:

2.630 inches

Port Location And Quantity:

2 center section

Port Style:

Gasket seal

Port Thread Series Designator:

Un

Port Thread Diameter:

1.0625 inches

Port Thread Qty Per Inch (tpi):

12

Port Thread Class:

2b

Product Name:

Cl3 6.00 x 14.50 h nn 2.50 1.88-12 cl3 6.00 x 14.50 e tandem

Special Features:

Main piston rod described-nsn 3040-01-468-9633; 2nd piston rod (tail) nsn 3040-01-468-9630; ports-sides 1 & 2; breather vent-side 1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A34200