## NSN 3040-01-475-8168

Shouldered Shaft - Page 1 of 1

No Fiig: A23200



View Online at https://aerobasegroup.com/nsn/3040-01-475-8168 First End Style: Tongue and internally threaded **End Similarity:** Not identical **Overall Length:** Between 0.902 inches and 0.922 inches **End Application:** Integrated sight assembly First End Tongue Thickness: Between 0.189 inches and 0.192 inches First End Diameter: Between 0.2466 inches and 0.2480 inches First End Internal Thread Length: 0.138 inches Step Quantity: **Largest Step Diameter:** Between 0.365 inches and 0.385 inches First End Step Length: Between 0.205 inches and 0.215 inches **Product Name:** Adaptor, shaft **Special Features:** Nha p/n 13496624 & 13492665; 0.032 in. Wide circular groove 0.230 in. Deep, 0.352 in. From 1st end; 2nd end 0.375 in. Dia., 0.191 in. Deep slot 0.100 in. Wide, 0.218 in. End hole 0.215 in. Deep; passivate per qq-p-35 type ii Material: Steel comp 303 or steel comp 304 **Material Specification:** Astm-a-582/303 assn standard single material response or astm-a-582/304 assn standard single material response or gg-s-763 federal standard single material response Shelf Life: N/a **Unit Of Measure: Demilitarization:**