NSN 3040-01-476-8049

Shouldered Shaft - Page 1 of 2



Shouldered Shalt - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/3040-01-476-8049	
First End Style:	
Externally threaded and flat keyway	
End Similarity:	
Not identical	
Second End Style:	
Cross drilled hole, externally threaded and flat keyway	
Overall Length:	
30.3750 inches	
First End Keyway Width:	
0.3125 inches	
First End External Keyway Length:	
0.7188 inches	
First End Keyway Depth:	
0.0938 inches	
First End Diameter:	
1.7630 inches	
First End External Thread Length:	
0.5625 inches	
Second End Keyway Width:	
0.5010 inches	
Second End External Keyway Length:	
5.8750 inches	
Second End Keyway Depth:	
0.2913 inches	
Second End Diameter:	
1.5000 inches	
Second End Hole Diameter:	
0.2188 inches	
Second End Distance From Hole Center To End:	
0.3125 inches	
Second End External Thread Length:	
2.000 inches	
Second End Hole Depth:	
1.5000 inches	
Clay Oversity	

Ω

Largest Step Diameter:

Between 2.5600 inches and 2.5620 inches

Special Features:

Step Quantity:

5KEY-WA-YS;-STD.

Material:

Steel comp 1144

NSN 3040-01-476-8049

Shouldered Shaft - Page 2 of 2



Material Specification

Astm a 108, c-1144 assn standard single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A23200