

View Online at <https://aerobasegroup.com/nsn/3040-01-481-2251>

First End Style:

Circular grooved and externally threaded

First End Groove Width:

0.0938 inches

First End Groove Diameter:

0.5938 inches

End Similarity:

Not identical

Second End Style:

Plain

Overall Length:

16.4380 inches

End Application:

Scuttle

First End Distance From End To Groove:

0.6880 inches

First End Keyway Width:

Between 0.2500 inches and 0.2550 inches

First End External Keyway Length:

0.8438 inches

First End Keyway Depth:

0.1250 inches

First End Distance From Keyway Center To End:

1.4219 inches

First End Diameter:

0.7500 inches

First End Distance From Hole Center To End:

0.3438 inches

First End External Thread Length:

0.6880 inches

Second End Diameter:

Between 1.1230 inches and 1.1240 inches

Second End Distance From Hole Center To End:

0.6250 inches

Second End Distance Between Hole Centers:

7.2500 inches

Step Quantity:

4

Largest Step Diameter:

Between 1.1230 inches and 1.1240 inches

Special Features:

First end chamfered 45 degrees 0.0938 wide, second end chamfered 45 degrees 0.1250 wide

Material:

Stainless steel

Material Specification:

Sae-ams-qq-s-763 assn standard single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A23200